HP Color LaserJet Enterprise M553 series



Fast speeds. Brilliant colour.

Speed and colour are the perfect pair for your business. That's why this energy-efficient printer and Original HP Toner cartridges with JetIntelligence combine to produce vibrant, professional-quality documents right when employees need them.



Wireless direct





NFC





Enjoy high-speed performance, right when you need it.

- Print from sleep mode in as fast as 9 seconds.¹ Get two-sided prints as quickly as one up to 40 ipm.²
- This printer uses exceptionally low amounts of energy thanks to smart media-sensing and toner technology.
- Equip employees to fly through tasks with the adjustable 10.9 cm (4.3-inch) colour touchscreen.
- Consistently print high-quality documents across a variety of media including A5 with automatic media sensing.

Keep your printer fleet simple, protected and streamlined.

- Centralise control of your print environment with HP Web Jetadmin⁴ and help build business efficiency.
- Protect sensitive data with embedded or optional features, including HP JetAdvantage Security Solutions.⁵
- Easily develop, deploy and add on HP and third-party solutions. Choose the optional 1 GB memory upgrade.⁶

Print whenever business demands.

- Enable wireless direct printing in the office from mobile devices without accessing the network.
- ٠ Print with just a touch of your NFC-enabled mobile device to this printer - no network needed.8
- Easily print from a variety of smartphones and tablets generally no setup or apps required.9

Get more pages, performance and protection.

- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.¹⁰
- Count on professional quality at fast speeds HP ColorSphere 3 toner works best with your HP printer.
- Help ensure the authentic HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled cartridges. Replace them with optional high-yield cartridges.

Product walkaround

HP Color LaserJet Enterprise M553x shown:

- 1. Intuitive 10.9 cm (4.3-inch) colour VGA control panel tilts up for easier viewing
- 2. Home button (returns to home screen)
- 3. Hardware Integration Pocket (HIP) for solution integration
- 4. Easy-access USB port to print files directly
- 5. Right door (access to fuser and paper path)
- 6. Convenient front on/off switch
- 7. 100-sheet multipurpose tray
- 8. Front door access to Original HP Toner cartridges with JetIntelligence
- 9. Lower-right door (to access paper path)
- 10. Two 550-sheet input trays for a 1,200 sheet total input capacity
- 11.250-sheet output bin
- 12. Built-in wireless direct/NFC touch-to-print
- 13. Built-in automatic two-sided printing
- 14.1 GB memory and a 1.2 GHz processor
- 15. Access port for optional Kensington-style lock
- 16. HP Jetdirect Gigabit Ethernet embedded print server
- 17. Hi-Speed USB 2.0 printing port
- 18. Hi-Speed USB 2.0 port (for connecting third-party devices)



Series at a glance







Model	HP Color LaserJet Enterprise M553 series	HP Color LaserJet Enterprise M553 series	HP Color LaserJet Enterprise M553 series
Product number	B5L24A	B5L25A	B5L26A
Print speed in pages per minute (ppm), A4/letter	38/40 ppm		
100-sheet multipurpose tray, 550-sheet input tray 2	Yes		
550-sheet input tray 3	Optional Yes		Yes
2 550-sheet input trays 4 and 5	Optional		
Printer cabinet	Optional		
Control panel	4-line colour display with keypad		Adjustable 10.9 cm (4.3-inch) colour touchscreen
Hard disk drive	Optional		
Memory (standard/maximum)	1 GB/2 GB		
Hardware Integration Pocket (HIP)	Not available	Yes	
Automatic duplexing	Not available	Yes	
Wireless direct and NFC touch- to-print	Optional		Yes
ENERGY STAR [®] certified/Blue Angel compliant	Not available	Yes	

Accessories, Supplies and Support

Supplies	B5L36A HP Color LaserJet B5L36A 220V Fuser Kit (Average yield 150,000 pages) B5L37A HP Color LaserJet B5L37A Toner Collection Unit (Average yield 54,000 pages) CF360A HP 508A Black Original LaserJet Toner Cartridge (6,000 pages) CF360X HP 508X High Yield Black Original LaserJet Toner Cartridge (12,500 pages) CF361A HP 508A Cyan Original LaserJet Toner Cartridge (5,000 pages) CF361X HP 508X High Yield Cyan Original LaserJet Toner Cartridge (9,500 pages) CF362A HP 508A Yellow Original LaserJet Toner Cartridge (5,000 pages)				
					CF362X HP 508X High Yield Yellow Original LaserJet Toner Cartridge (9,500 pages)
					CF363A HP 508A Magenta Original LaserJet Toner Cartridge (5,000 pages)
					CF363X HP 508X High Yield Magenta Original LaserJet Toner Cartridge (9,500 pages)
Accessories	B5L29A HP High-Performance Secure Hard Disk				
	B5L34A HP Color Laser Jet 550-sheet Media Tray				
	B5L51A HP Color LaserJet Printer Cabinet				
	F5562A HP Trusted Platform Module Accessory				
	G6W84A HP 1 GB 90-pin DDR3 DIMM				
	B5L28A HP Internal USB Ports				
Service and Support	U8CG3E HP 3 year Next business day with Defective Media Retention Color LaserJet M552/3 Hardware Support U8CG4E HP 3 year 4 hour 9x5 with Defective Media Retention Color LaserJet M552/3 Hardware Support U8CH0E HP 4 year Next business day with Defective Media Retention Color LaserJet M552/3 Support U8CH1E HP 5 year Next business day with Defective Media Retention Color LaserJet M552/3 Support U8CJ4PE HP 1 year Post Warranty Next business day with Defective Media Retention Color LaserJet M552/3 Hardware Support U8CJ4PE HP 1 year Post Warranty Next business day with Defective Media Retention Color LaserJet M552/3 Hardware Support U8CJ4PE HP 1 year Post Warranty 4 hour 9x5 with Defective Media Retention Color LaserJet M552/3 Hardware Support U8CJ7PE HP 2 year Post Warranty Next business day with Defective Media Retention Color LaserJet M552/3 Hardware Support U8CJ7PE HP 2 year Post Warranty Next business day with Defective Media Retention Color LaserJet M552/3 Hardware Support				

Technical specifications

Model	HP Color LaserJet Enterprise M553 series	HP Color LaserJet Enterprise M553 series	HP Color LaserJet Enterprise M553 series		
Product number	B5L24A	B5L25A	B5L26A		
Functions	Print				
Control panel	4-line colour LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help); 3 LED indicator lights (Attention, Ready, Busy)		10.9 cm touchscreen with colour graphics		
Print			•		
Print technology	Laser				
Print speed ¹	Black (A4, normal) Up to 38 ppm; Colour (A4, normal): Up to 38 ppm; Black (A4, duplex): Up to 38 ipm; Colour (A4, duplex): Up to 38 ipm;				
First page out ²	Black (A4, ready): As fast as 6 sec; Colour (A4, ready): As fast as 7 sec;				
Print resolution	Black (best): Up to 1200 x 1200 dpi, HP ImageREt 3600 (best); Colour (best): Up to 1200 x 1200 dpi, HP ImageREt 3600 (best); Technology: HP ImageREt 3600, Pantone Calibrated;				
Monthly duty cycle ³	Up to 80,000 pages A4; Recommended monthly page	volume ⁴ : 2,000 to 7,500 pages			
Printer smart software features	HP ePrint, Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant- on Technology, HP Auto-On/Auto-Off Technology, Easy Access USB, Two-Sided Printing, JetIntelligence cartridges, Online help	HP ePrint, Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant- on Technology, HP Auto-On/Auto-Off Technology, Easy Access USB, Two-Sided Printing, JetIntelligence cartridges, Hardware Integration Pocket, Online help	HP ePrint, Apple AirPrint [™] , Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-Onf/Auto-Off Technology, Easy Access USB, Two-Sided Printing, JetIntelligence cartridges, Hardware Integration Pocket, Wireless direct printing, Near Field Communication, Colour Touchscreen, Online help		
Standard print languages	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, native PDF printing (v1.7)				
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode font (Andale Mono WorldType); 2 internal Windows Vista/8 fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet fonts and IPDS emulation available at http://www.hp.com/go/laserjetfonts				
Print area	Print margins Top: 2 mm absolute/5 mm assured image, Bottom: 2 mm absolute/5 mm assured image, Left: 2 mm absolute/5 mm assured image, Right: 2 mm absolute/5 mm assured image; Maximum print area:				
Duplex printing	Manual (driver support provided)	Automatic (standard)			

Data sheet | HP Color LaserJet Enterprise M553 series

Model	HP Color LaserJet Enterprise M553 series	HP Color LaserJet Enterprise M553 series	HP Color LaserJet Enterprise M553 series	
Product number	B5L24A	B5L25A	B5L26A	
Processor speed	1.2 GHz			
Connectivity	•			
Standard	Hi-Speed USB 2.0 port; Built-in Fast Ethernet 10	/100/1000Base-TX network port		
Optional	HP Jetdirect 3000w NFC/Wireless Accessory J8030A (late availability), HP Jetdirect 2900nw Print Server J8031A (late availability)		HP Jetdirect 2900nw Print Server J8031A (late availability)	
Wireless	Optional, enabled with purchase of a hardware accessory		Yes, built-in NFC Touch-to-Print; Wireless direct printing	
Mobile printing capability ⁵	HP ePrint; Apple AirPrint™; Mopria™-certified		HP ePrint; Apple AirPrint™; Mopria™-certified; NFC Touch-to-print; Wireless Direct Printing	
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10 IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SL).2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port P, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Prin	t 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewal ıt; Other: NetWare NDS, Bindery, NDPS, ePrint	
Network capabilities	Standard (built-in Gigabit Ethernet)			
Hard disk	4 GB non-volatile storage, firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptogra	phic Erase – Job Data, Secure Erase – Disk	
Memory	Standard: 1 GB; Maximum: 2 GB			
Media handling	·			
Number of paper trays	Standard: 2 ; Maximum: 5		Standard: 3 ; Maximum: 5	
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transparenc labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined			
Media size	102 x 148 to 216 x 356 mm ; Supported (metric envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x	nm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+:): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x ; Optional Trays 3+: A4, RA4, A5, B5 (JIS); Custom: 102 x 148	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Tray 3: 102 x 148 to 216 x 356 mm; Optional Trays 4+: 102 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (IIS), B6 (IIS), 10 x 15 cm, A6, envelopes (B5, C5 ISO, C6, DL ISO); custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (IIS), B6 (IIS), 10 x 15 cm A6; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (IIS); Custom: 102 x 148 to 216 x 356 mm	
Media handling	Standard input : 100-sheet multipurpose tray, 550-sheet input tray 2 Optional input : 550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5		Standard input: 100-sheet multipurpose tray, 550- sheet input tray 2, 550-sheet media input tray 3 Optional input: 550-sheet media input tray 4, 550- sheet media input tray 5	
Media weight	Tray 1: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Trays 3+: 60 to 220 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper);			

Model	HP Color LaserJet Enterprise M553 series	HP Color LaserJet Enterprise M553 series	HP Color Laser Jet Enterprise M553 series	
Product number	B5L24A	B5L25A	B5L26A	
Input capacity	Tray 1: Sheets (75 g/m ² paper): 100; Transparencies, cardstock (163 g/m ²): 50; Cardstock (216 g/m ²): 30; Envelopes: 10 Tray 2: Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²), transparencies: 200 Tray 3: Sheets (75 g/m ² paper): 550; Labels, cardstock (163 g/m ²), transparencies: 200 Maximum: Up to 2,300 sheets			
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 100 sheets Maximum: Up to 250 sheets			
Compatible operating systems ⁶	(excluding RT OS for tablets), Windows 7 all 32-bit and compatible with Universal Print Driver (from HP.com): 1 editions (excluding RT OS for Tablets), Windows 7 all 32 etc.); Mac OS (HP print drivers available from HP.com a (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Lin	10 all 32-bit and 64-bit editions (excluding RT OS for tat 164-bit editions, Windows Vista all 32-bit editions (Hom Windows 10 all 32-bit and 64-bit editions (excluding RT 2-bit and 64-bit editions, Windows Vista all 32-bit and 6 Ind Apple Store): OS X 10.7 Lion, OS X 10.8 Mountain Lic 100 NO HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fed 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNB	e Basic, Premium, Professional, etc.); Windows OS OS for Tablets), Windows 8/8.1 all 32-bit and 64-bit 54-bit editions (Home Basic, Premium, Professional, n, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS ora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Bos:	
Compatible network operating systems	Windows OS compatible with In-Box Driver: Windows Server 2008 R2 (64-bit) (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 (32/64-bit) (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 (32-bit) (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 (32-bit) (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Citrix MetaFrame Presentation Server 3.0, Citrix SenApp D. (Feature Pack 2 & 3), Citrix (on Windows Server 2008/2008R2): Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix (on Windows Server 2008/2008R2): Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix (on Windows Server 2008/2008R2): Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix (on Windows Server 2008/2008R2): Citrix XenDesktop 7.0/7.5; Novell Servers (16.0/6.5/7.5, Citrix XenDesktop 5.6/7.0/7.5; Citrix (on Windows Server 2012/2012 R2): Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix (On Windows Server 2012/2012 R2): Citrix XenApp 7.5, Citrix XenDesktop 7.0/7.5; Novell Servers (11/5/1, Novell Open Enterprise Server 10/5/1, Novell Open Enterprise Server 2 for Linux, NetWare 6.5/SP8; Novell Cleins (http://www.novell.com/iprint): Windows 8 (32-bit/64-bit) recommend v5.86+, 8.1 recommend v5.94+ Windows 7 (32/64-bit) recommend v5.82+, Windows XP / SP3 (32-bit only) recommen			
Minimum system requirements	Windows: Windows 10 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS			
Software included	Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; Mac OS: Welcome Screen (directs users to HP.com or OS App Store for LaserJet software)			
Security management		prise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP (or WJA-10 IPsec configuration using IPsec Plug-in; Acce	over TLS, IPsec/Firewall with Certificate, Pre-Shared Key ss port for Kensington-style lock	
Printer management	Printer Administrator Resource Kit (Driver Configuration Agent Software; HP Imaging and Printing Security Cent	n Utility, Driver Deployment Utility, Managed Printing Ad ter; HP Utility (Mac)	Iministrator); HP Web JetAdmin Software; HP Proxy	
Dimensions and weight				
Printer dimensions (W x D x H)	Minimum 458 x 479 x 399 mm; Maximum : 699 x 479 x 399 mm;		Minimum 458 x 479 x 581 mm; Maximum : 699 x 479 x 581 mm;	
Package dimensions (W x D x H)	600 x 500 x 598 mm		750 x 600 x 598 mm	
Printer weight	27 kg	27.5 kg	33.4 kg	
Package weight	30.8 kg	31.3 kg	38.6 kg	
Operating environment	Temperature: 15 to 30°C; Humidity: 30 to 70% RH			
Storage conditions	Temperature: 0 to 35°C; Humidity: 10 to 90% RH			
Acoustics ⁷	Acoustic power emissions: 6.5 B(A); Acoustic pressure emissions: 51 dB(A)			
Power ⁸	Requirements: Input voltage: 200 to 240 VAC, 50 Hz; Consumption: 617 watts (active printing), 33.7 watts (ready), 3.95 watts (sleep), 1 watt (auto-off/wake on LAN), 0.1 watts (auto-off/manual on), 0.1 watts (off); Typical Electricity Consumption (TEC): 1.98 kWh/Week (Energy Star), 1.86 kWh/Week (Blue Angel); Power supply type: Built-in power supply;			
	HP Auto-On/Auto-Off Technology; Instant-on Technology			
Energy savings feature technology		ду		
	HP Auto-On/Auto-Off Technology; Instant-on Technolo CISPR 22:2008 Class A, EN 55022:2010 Class A, EN 55024:2010, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008 CECP Blue Angel compliant No; Please refer to the ECI document	CISPR 22:2008 Class A, EN 55022:2010 Class A, EN 55024:2010, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008 ENERGY STAR [®] qualified; EPEAT [®] Silver; CECP Blue Angel compliant No; Please refer to the ECI document	CISPR 22:2008 Class A, EN 55022:2010 Class A, EN 55024:2010, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008 ENERGY STAR® qualified; EPEAT® Silver; CECP Blue Angel compliant Yes; Blue Angel RAL-UZ 205	
technology	HP Auto-On/Auto-Off Technology; Instant-on Technolo CISPR 22:2008 Class A, EN 55022:2010 Class A, EN 55024:2010, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008 CECP Blue Angel compliant No; Please refer to the ECI	CISPR 22:2008 Class A, EN 55022:2010 Class A, EN 55024:2010, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008 ENERGY STAR® qualified; EPEAT® Silver; CECP Blue Angel compliant No; Please refer to the ECI	55024:2010, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008 ENERGY STAR® qualified; EPEAT® Silver; CECP	

Footnotes

¹Measured using ISO/IEC 17629. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity. ²Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.

application, driver and document complexity.

³Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov vs. competitive single-function colour laser printers with print speeds between 31 and 44 pages per minute (ppm) as of November 2014. Actual results may vary.

⁴Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin.

⁵Some solutions require download or additional purchase. Learn more at http://www.hp.com/go/printingsolutions.

⁶Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

⁷Available only in selected European countries. Standard only on the HP Laser Jet Enterprise M553x. Feature is available at no charge and requires the printer be connected to the Internet with web services enabled. For more information, see http://www.hpjetadvantage.com.

⁸ Touch-to-print capability is standard on the HP LaserJet Enterprise M553x only. Mobile device must support near-field communications (NFC)-enabled printing. For more information, see http://www.hp.com/go/mobileprinting. ⁹ Local printing requires mobile device and printer to be on the same network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See http://www.hp.com/go/mobileprinting for more details. Some features require purchase of an optional accessory.

¹⁰ More pages vs. predecessor cartridges claim based on page yield comparison of HP 507A/X LaserJet Black Toner Cartridges to HP 508A/X LaserJet Black Toner Cartridges, and HP 507X LaserJet Cyan, Magenta and Yellow Toner Cartridges to HP 508X LaserJet Cyan, Magenta and Yellow Toner Cartridges. The claim does not apply to the HP 508A Cyan, Magenta and Yellow LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies.

¹¹ High-yield Original HP 508X LaserJet Toner cartridges not included; please purchase separately.

¹² An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

Technical specifications disclaimers

¹Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.

²Measured using ISO/IEC 17629. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity. ³Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables

appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁴HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty

Period.

⁵May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support.

⁶ Not all compatible Operating Systems are supported with In-Box software. Full solution software available only for Windows 7 and newer. Legacy Windows Operating Systems (XP, Vista and equivilant servers) get print and scan drivers only. Windows RT OS for tablets (32/64-bit) uses a simplified HP print driver built into the RT OS. UNIX modelscripts are available on http://www.hp.com (modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.

⁷ Acoustic values are subject to change. For current information, see http://www.hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 38 ppm.
⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption in Auto-Off mode depends on customer network switch capability, user configuration and network activity. Off-mode power may vary while checking network packets for print jobs.

9Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of colour pages printed and other factors.



Mac



http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Published in EMEA 4AA5-6746, December 2018

