

# XEROX® VERSALINK® COLOR PRINTERS

Unrivalled Color, Reliability and Performance

**C8000 AND C9000**



ConnectKey®  
Technology



CONTACT US TODAY  
Jon Rehg / Business Print Consultant  
[jon@qtods.com](mailto:jon@qtods.com) / 314-249-9935



# Xerox® VersaLink® C8000 and C9000 Color Printers

When you need professional color, flawless reliability and top productivity in a well-connected printer, count on the VersaLink C8000 and C9000 Color Printers with Xerox® ConnectKey® Technology. The feature-rich, app-enabled C8000 is ready to be customized as your workplace assistant. The C9000 adds greater media flexibility and precision color matching and control tools for graphic arts professionals and creative agencies.

## **VIBRANT COLOR. BIG PERFORMANCE. TOP RELIABILITY.**

Right out of the box, you'll count on the Xerox® VersaLink C8000 and C9000 Color Printers to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards to step-by-step configuration options, you're ready to go—hassle free.

Designed for superior reliability, the VersaLink C8000 and C9000 Color Printers feature a new hardware design with fewer moving parts, strengthened paper path components and an advanced imaging system.

VersaLink devices are loaded with features and time-saving Xerox® technologies designed to speed up information sharing and reduce inefficient workflows.

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional color vibrancy that enhances business communications—even on oversize media.

## **INTUITIVE. POWERFUL. READY FOR ANY JOB.**

With the customizable capacitive 5-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Get more done in less time by creating customized 1-Touch Apps to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once and then enjoy fast, secure access to task-specific presets, individualized favorite contacts and commonly used apps on a personalized home screen.

Whether your documents are color or black and white, letter-size or oversize, the VersaLink C8000 and C9000 Color Printers have the power and features you need to handle even the most challenging print jobs.

## **CONNECT TO WHAT YOU WANT, WHEN YOU WANT.**

The VersaLink C8000 and C9000 Color Printers give you the freedom to work where and how you want. Easily add connectivity to Google Drive™, Microsoft® OneDrive® and Dropbox™, and access additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi® and Wi-Fi Direct®.

## **XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM**

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

### **Intuitive User Experience**

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

### **Mobile and Cloud Ready**

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

### **Benchmark Security**

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

### **Enables Next Generation Services**

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

### **Gateway to New Possibilities**

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.



### Xerox® VersaLink® C8000 Color Printer

Print. Mobile connectivity.



### Xerox® VersaLink® C9000 Color Printer

Print. Mobile connectivity.

**1 Card Reader Bay** and internal card reader compartment.

**2 Front-Side USB Port<sup>1</sup>** allows users to quickly print from any standard USB memory device.

**3 100-Sheet Bypass Tray** handles media sizes from 3.5 x 3.9 in. to 12.6 x 19 in./88.9 x 98.4 mm to 320 x 482.6 mm and banners from 12.6 x 52 in./320 x 1,320.8 mm (64 to 350 gsm).

**4 Tray 1** handles up to 520 sheets with custom sizes of 3.9 x 5.8 in. to 11.7 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm).

**5 Tray 2** handles up to 520 sheets with custom sizes of 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm).

### MULTIPLE PAPER TRAY OPTIONS TO FIT EVERY NEED

**6 Optional Envelope Kit** (replaces Tray 1) provides trouble-free feeding of up to 50 envelopes.

**7 Tandem Tray Module** adds up to 2,000 sheets; 8.5 x 11 in./A4, B5 (64 to 300 gsm).

**8 Two Tray Module** adds up to 1,040 sheets with custom sizes of 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm).

**9 High Capacity Feeder** adds up to 2,000 sheets with standard sizes of 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 300 gsm).

### ADD INCREASED VERSATILITY WITH FINISHING OPTIONS

**10 Dual Offset Catch Tray** (standard when finishers are not attached): 250 sheets each tray.

**11 Optional Office Finisher** gives you advanced finishing functions at a great value and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).

**12 Optional BR Booklet Maker Finisher** provides the capability to create 64-page saddle-stitched booklets (2 to 16 sheets).

<sup>1</sup> USB ports can be disabled.



### Xerox® VersaLink® C8000 and C9000

Default Configuration

### INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our all-new, 5-inch color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar “mobile” experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C8000 and C9000 Color Printers get more work done, faster.





# Xerox® VersaLink® C8000 and C9000

ConnectKey®  
Technology

DEVICE SPECIFICATIONS		VersaLink C8000DT	VersaLink C9000DT	VersaLink C9000GX
Speed		Up to 45 ppm letter/A4	Up to 55 ppm letter/A4	
Monthly Duty Cycle <sup>1</sup>		205,000	270,000	
Hard Drive/Processor/Memory		Optional 320 GB HDD/1.6 GHz/4 GB	320 GB HDD/1.6 GHz/4 GB	
Connectivity		Ethernet 10/100/1000Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair		
Controller Features		Configuration Cloning, Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting Tool, Role Based Permissions, Convenience Authentication Enabled, Online Support		
Print Resolution		Up to 1200 x 2400 dpi		
First-print-out Time		As fast as 11 seconds color/ 9.7 seconds black and white	As fast as 10.5 seconds color/10 seconds black and white	
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL®/Adobe® PostScript® 3™		
Color Management		Embedded spot color table, Xerox Color Corrections	Embedded spot color table with the ability to swap out PANTONE® approved color table, Custom spot color editor, optional Xerox® Precise Color Management System software (standard on GX)	
Paper Input	Standard	<b>Bypass Tray:</b> Up to 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 19 in./88.9 x 98.4 mm to 320 x 482.6 mm; Banners: 12.6 x 52 in./320 x 1,320.8 mm (C8000: 64 to 300 gsm; C9000: 64 to 350 gsm) <b>Tray 1:</b> Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 11.7 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm) <b>Tray 2:</b> Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm) Optional		<b>Two Tray Module:</b> Up to 1,040 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm)
	Optional	<b>Tandem Tray Module:</b> Up to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 300 gsm) <b>High Capacity Feeder:</b> Up to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 216 gsm) <b>Envelope Tray</b> (replaces Tray 1): Up to 50 envelopes: #10 Commercial, Monarch, DL, C4, C6 (106 to 300 gsm)		
Paper Output/Finishing	Standard	<b>Dual Offset Catch Tray</b> (standard when finishers are not attached): 250 sheets each		
	Optional	<b>Office Finisher:</b> 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole punch, optional booklet maker (score, saddle stitch) <b>BR Booklet Maker Finisher:</b> 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding		
Automatic Two-sided Printing		Standard		
INTUITIVE USER EXPERIENCE				
Customize and Personalize		Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio		
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®		
Embedded Web Server		PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning		
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode		
MOBILE AND CLOUD READY				
Mobile Printing		Apple® AirPrint® <sup>2</sup> , Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™, @PrintByXerox		
Mobility Options		Xerox® Mobile Print and Mobile Print Cloud <sup>3</sup> , Connect via NFC/Wi-Fi Direct Printing <sup>3</sup> . Visit <a href="http://www.xerox.com/officemobileapps">www.xerox.com/officemobileapps</a> for available apps.		
Cloud Connectors <sup>4</sup>		Print from Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform <sup>3</sup> and more		
BENCHMARK SECURITY				
Network Security		IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates		
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card-Enabled (CAC/PIV.NET), Xerox® Integrated RFID Card Reader Bay		
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite <sup>5</sup> , Encrypted Apps with Embedded Certificate Support		
Document Security		Secure Print		
ENABLES NEXT GENERATION SERVICES				
Print Management		Xerox® Workplace Suite and Xerox® Workplace Cloud <sup>3</sup> , Configuration Cloning, Xerox® Standard Accounting, Equitrac <sup>3</sup> , Y Soft <sup>3</sup> and more		
Managing Print		Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools		
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins		
GATEWAY TO NEW POSSIBILITIES				
Many apps and cloud services available. Visit <a href="http://www.xerox.com/appgallery">www.xerox.com/appgallery</a> for a growing selection of Xerox® apps available for adding functions.				

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; <sup>2</sup> Visit [www.apple.com](http://www.apple.com) for AirPrint Certification list; <sup>3</sup> Purchased option; <sup>4</sup> Free optional download from Xerox App Gallery to the Printer—[www.xerox.com/xeroxappgallery](http://www.xerox.com/xeroxappgallery); <sup>5</sup> HDD required for image overwrite.

## Certifications

To view the latest list of certifications, go to [www.xerox.com/OfficeCertifications](http://www.xerox.com/OfficeCertifications).

## Options

Xerox® Precise Color Management System software for C9000DT (standard on GX)	097S04974
Two Tray Module	097S04969
Tandem Tray Module	097S04970
High Capacity Feeder	097S04845
Envelope Tray (Replaces Tray 1)	497K17880
Office Finisher	097S04848
2/3 Hole Punch for Office Finisher	497K03860
Booklet Maker for Office Finisher	497K03852
Booklet Maker Finisher with 2/3 Hole Punch	097S04981
HDD (320 GB Hard Drive for C8000)	097S04971
Wireless Network Adapter (Wi-Fi Kit)	497K16750
Internal Card Reader/RFID Kit	497K18120



1532 Fenpark Drive  
Fenton, MO 63026  
[www.qtds.com](http://www.qtds.com)

<sup>6</sup> Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

<sup>7</sup> Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit <http://www.office.xerox.com/latest/SUPGL-01.PDF>.

Configurations vary by geographical location.

©2018 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, ConnectKey®, DocuShare®, Global Print Driver®, Mobile Express Driver®, VersaLink® and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 10/18 BR25148 CCRBR-98UA

